

# COVID-19 Focused Survey for Nursing Homes

## Infection Control

This survey tool must be used to investigate compliance at F880 and determine whether the facility is implementing proper infection prevention and control practices to prevent the development and transmission of COVID-19 and other communicable diseases and infections. Entry and screening procedures as well as resident care guidance has varied over the progression of COVID-19 transmission in facilities. Facilities are expected to be in compliance with CMS guidance that is in effect at the time of the survey. Refer to QSO memos released at:

<https://www.cms.gov/Medicare/Provider-Enrollment-and-Certification/SurveyCertificationGenInfo/Policy-and-Memos-to-States-and-Regions>.

This survey tool provides a focused review of the critical elements associated with the transmission of COVID-19, will help surveyors to prioritize survey activities while onsite, and identify those survey activities which can be accomplished offsite. These efficiencies will decrease the potential for transmission of COVID-19, as well as lessen disruptions to the facility and minimize exposure of the surveyor. Surveyors should be mindful to ensure their activities do not interfere with the active treatment or prevention of transmission of COVID-19.

If citing for noncompliance related to COVID-19, the surveyor(s) must include the following language at the beginning of the Deficient Practice Statement or other place determined appropriate on the Form CMS-2567: “Based on [observations/interviews/record review], the facility failed to [properly prevent and/or contain – or other appropriate statement] **COVID-19.**”

If surveyors see concerns related to compliance with other requirements, they should investigate them in accordance with the guidance in Appendix PP of the State Operations Manual and related survey instructions. Surveyors may also need to consider investigating concerns related to Emergency Preparedness in accordance with the guidance in Appendix Z of the State Operations Manual (e.g., for emergency staffing).

For the purpose of this survey tool, “staff” includes employees, consultants, contractors, volunteers, and others who provide care and services to residents on behalf of the facility. The Infection Prevention and Control Program (IPCP) must be facility-wide and include all departments and contracted services.

### Surveyor(s) reviews for:

- The overall effectiveness of the Infection Prevention and Control Program (IPCP) including IPCP policies and procedures;
- Standard and Transmission-Based Precautions;
- Quality of resident care practices, including those with COVID-19 (laboratory-positive case), if applicable;
- The surveillance plan;
- Visitor entry and facility screening practices;
- Education, monitoring, and screening practices of staff; and
- Facility policies and procedures to address staffing issues during emergencies, such as transmission of COVID-19

### 1. Standard and Transmission-Based Precautions (TBPs)

CMS is aware that there is a scarcity of some supplies in certain areas of the country. State and Federal surveyors should not cite facilities for not having certain supplies (e.g., PPE such as gowns, N95 respirators, surgical masks) if they are having difficulty obtaining these supplies for

## COVID-19 Focused Survey for Nursing Homes

reasons outside of their control. However, we do expect facilities to take actions to mitigate any resource shortages and show they are taking all appropriate steps to obtain the necessary supplies as soon as possible. For example, if there is a shortage of PPE (e.g., due to supplier(s) shortage which may be a regional or national issue), the facility should contact the local and state public health agency to notify them of the shortage, follow national and/or local guidelines for optimizing their current supply or identify the next best option to care for residents. Among other practices, optimizing their current supply may mean prioritizing use of gowns based on risk of exposure to infectious organisms, blood or body fluids, splashes or sprays, high contact procedures, or aerosol generating procedures (AGPs), as well as possibly extending use of PPE (follow national and/or local guidelines). Current CDC guidance for healthcare professionals is located at: <https://www.cdc.gov/coronavirus/2019-nCoV/hcp/index.html> and healthcare facilities is located at: <https://www.cdc.gov/coronavirus/2019-ncov/healthcare-facilities/index.html>. If a surveyor believes a facility should be cited for not having or providing the necessary supplies, the State Agency should contact the CMS Regional Location.

### General Standard Precautions

- Are staff performing the following appropriately:
- Respiratory hygiene/cough etiquette,
  - Environmental cleaning and disinfection, and
  - Reprocessing of reusable resident medical equipment (e.g., cleaning and disinfection of glucometers per device and disinfectant manufacturer's instructions for use)?

### Hand Hygiene

- Are staff implementing appropriate hand hygiene?
- If alcohol-based hand rub (ABHR) is available, is it readily accessible and used by staff for hand hygiene?
- If there are shortages of ABHR, are staff performing hand hygiene using soap and water instead?
- Are staff washing hands with soap and water when their hands are visibly soiled (e.g., blood, body fluids)?
- Do staff perform hand hygiene (even if gloves are used) in the following situations:
- Before and after contact with the resident;
  - After contact with blood, body fluids, or visibly contaminated surfaces;
  - After contact with objects and surfaces in the resident's environment;
  - After removing personal protective equipment (e.g., gloves, gown, facemask); and
  - Before performing a procedure such as an aseptic task (e.g., insertion of an invasive device such as a urinary catheter, manipulation of a central venous catheter, and/or dressing care)?
- When being assisted by staff, is resident hand hygiene performed after toileting and before meals?
- Interview appropriate staff to determine if hand hygiene supplies are readily available and who they contact for replacement supplies.

# COVID-19 Focused Survey for Nursing Homes

## Personal Protective Equipment (PPE)

- Determine if staff appropriately use PPE including, but not limited to, the following:
  - Gloves are worn if potential contact with blood or body fluid, mucous membranes, or non-intact skin;
  - Gloves are removed after contact with blood or body fluids, mucous membranes, or non-intact skin;
  - Gloves are changed and hand hygiene is performed before moving from a contaminated body site to a clean body site during resident care; and
  - An isolation gown is worn for direct resident contact if the resident has uncontained secretions or excretions.
- Is PPE appropriately removed and discarded after resident care, prior to leaving room (except in the case of extended use of PPE per national/local recommendations), followed by hand hygiene?
- If PPE use is extended/reused according to national and/or local guidelines, it is cleaned/decontaminated/maintained after and/or between uses?
- Interview appropriate staff to determine if PPE is available, accessible and used by staff.
  - Are there sufficient PPE supplies available to follow infection prevention and control guidelines? In the event of PPE shortages, what procedures is the facility taking to address this issue?
  - Do staff know how to obtain PPE supplies before providing care?
  - Do they know who to contact for replacement supplies?

## Transmission-Based Precautions (Note: PPE use is based on availability and latest CDC guidance. See note on Pages 1-2)

- Determine if appropriate Transmission-Based Precautions are implemented:
  - For a resident on Contact Precautions: staff don gloves and isolation gown before contact with the resident and/or his/her environment;
  - For a resident on Droplet Precautions: staff don a facemask within six feet of a resident;
  - For a resident on Airborne Precautions: staff don an N95 or higher level respirator prior to room entry of a resident;
  - For a resident with an undiagnosed respiratory infection: staff follow Standard, Contact, and Droplet Precautions (i.e., facemask, gloves, isolation gown) with eye protection when caring for a resident unless the suspected diagnosis requires Airborne Precautions (e.g., tuberculosis);
  - For a resident with known or suspected COVID-19: staff wear gloves, isolation gown, eye protection and an N95 or higher-level respirator if available. A facemask is an acceptable alternative if a respirator is not available. Additionally, if there are COVID-19 cases in the facility or sustained community transmission, staff implement universal use of facemasks while in the facility (based on availability).
    - Some procedures performed on residents with known or suspected COVID-19 could generate infectious aerosols (i.e., aerosol-generating procedures (AGPs)). In particular, procedures that are likely to induce coughing (e.g., sputum induction, nebulizer treatments, open suctioning of airways) should be performed cautiously. If performed, the following should occur:
      - Staff in the room should wear an N95 or higher-level respirator, eye protection, gloves, and an isolation gown.
      - The number of staff present during the procedure should be limited to only those essential for resident care and procedure support.
      - AGPs should ideally take place in an airborne infection isolation room (AIIR). If an AIIR is not available and the procedure is medically necessary, then it should take place in a private room with the door closed.

## COVID-19 Focused Survey for Nursing Homes

- Clean and disinfect the room surfaces promptly and with appropriate disinfectant. Use disinfectants on List N of the EPA website for EPA-registered disinfectants that have qualified under EPA's emerging viral pathogens program for use against SARS-COV-2 or other national recommendations;
  - Dedicated or disposable noncritical resident-care equipment (e.g., blood pressure cuffs, blood glucose monitor equipment) is used, or if not available, then equipment is cleaned and disinfected according to manufacturers' instructions using an EPA-registered disinfectant for healthcare setting prior to use on another resident;
  - Objects and environmental surfaces that are touched frequently and in close proximity to the resident (e.g., bed rails, over-bed table, bedside commode, lavatory surfaces in resident bathrooms) are cleaned and disinfected with an EPA-registered disinfectant for healthcare setting (effective against the organism identified if known) at least daily and when visibly soiled; and
  - Is signage on the use of specific PPE (for staff) posted in appropriate locations in the facility (e.g., outside of a resident's room, wing, or facility-wide)?
- Interview appropriate staff to determine if they are aware of processes/protocols for Transmission-Based Precautions and how staff is monitored for compliance.
- If concerns are identified, expand the sample to include more residents on Transmission-Based Precautions.

**1. Did staff implement appropriate Standard (e.g., hand hygiene, appropriate use of PPE, environmental cleaning and disinfection, and reprocessing of reusable resident medical equipment) and Transmission-Based Precautions (if applicable)?**  Yes  No F880

### 2. Resident Care

- If there is community transmission or case(s) of COVID-19 in the facility, is the facility restricting residents (to the extent possible) to their rooms except for medically necessary purposes? If there is a case in the facility, and residents have to leave their room, are they wearing a facemask, performing hand hygiene, limiting their movement in the facility, and performing social distancing (efforts are made to keep them at least 6 feet away from others). If PPE shortage is an issue, facemasks should be limited to residents diagnosed with or having signs/symptoms of respiratory illness or COVID-19.
- Has the facility cancelled group outings, group activities, and communal dining?
- Has the facility placed residents with known or suspected COVID-19 in a private room (if available), or taken other actions based on national (e.g., CDC), state, or local public health authority recommendations?
- For the resident who develops severe symptoms of illness and requires transfer to a hospital for a higher level of care, did the facility alert emergency medical services and the receiving facility of the resident's diagnosis (suspected or confirmed COVID-19) and precautions to be taken by transferring and receiving staff as well as place a facemask on the resident during transfer (as supply allows)?
- For residents who need to leave the facility for care (e.g. dialysis, etc.), did the facility notify the transportation and receiving health care team of the resident's suspected or confirmed COVID-19 status?

## COVID-19 Focused Survey for Nursing Homes

**2. Did staff provide appropriate resident care?**  Yes  No **F880**

### 3. IPCP Standards, Policies and Procedures

- Did the facility establish a facility-wide IPCP including standards, policies, and procedures that are current and based on national standards for undiagnosed respiratory illness and COVID-19?
- Concerns must be corroborated as applicable including the review of pertinent policies/procedures as necessary.

**3. Does the facility have a facility-wide IPCP including standards, policies, and procedures that are current and based on national standards for undiagnosed respiratory illness and COVID-19?**  Yes  No **F880**

### 4. Infection Surveillance

- How many residents and staff in the facility have fever, respiratory signs/symptoms, or other signs/symptoms related to COVID-19?
- How many residents and staff have been diagnosed with COVID-19 and when was the first case confirmed?
- How many residents and staff have been tested for COVID-19? What is the protocol for determining when residents and staff should be tested?
- Has the facility established/implemented a surveillance plan, based on a facility assessment, for identifying, tracking, monitoring and/or reporting of fever (at a minimum, vital signs are taken per shift), respiratory illness, and/or other signs/symptoms of COVID-19?
- Does the plan include early detection, management of a potentially infectious, symptomatic resident that may require laboratory testing and/or Transmission-Based Precautions/PPE (the plan may include tracking this information in an infectious disease log)?
- Does the facility have a process for communicating the diagnosis, treatment, and laboratory test results when transferring a resident to an acute care hospital or other healthcare provider; and obtaining pertinent notes such as discharge summary, lab results, current diagnoses, and infection or multidrug-resistant organism colonization status when residents are transferred back from acute care hospitals?
- Can appropriate staff (e.g., nursing and unit managers) identify/describe the communication protocol with local/state public health officials?
- Interview appropriate staff to determine if infection control concerns are identified, reported, and acted upon.

**4. Did the facility provide appropriate infection surveillance?**  Yes  No **F880**

### 5. Visitor Entry

- Review for compliance of:
- Screening processes and criteria (i.e., screening questions and assessment of illness);
  - Restriction criteria; and
  - Signage posted at facility entrances for screening and restrictions as well as a communication plan to alert visitors of new procedures/restrictions.

## COVID-19 Focused Survey for Nursing Homes

For those permitted entry, are they instructed to frequently perform hand hygiene; limit their interactions with others in the facility and surfaces touched; restrict their visit to the resident's room or other location designated by the facility; and offered PPE (e.g., facemask) as supply allows?

What is the facility's process for communicating this information?

For those permitted entry, are they advised to monitor for signs and symptoms of COVID-19 and appropriate actions to take if signs and/or symptoms occur?

**5. Did the facility perform appropriate screening, restriction, and education of visitors?**  Yes  No F880

### 6. Education, Monitoring, and Screening of Staff

Is there evidence the facility has provided education to staff on COVID-19 (e.g., symptoms, how it is transmitted, screening criteria, work exclusions)?

How does the facility convey updates on COVID-19 to all staff?

Is the facility screening all staff at the beginning of their shift for fever and signs/symptoms of illness? Is the facility actively taking their temperature and documenting absence of illness (or signs/symptoms of COVID-19 as more information becomes available)?

If staff develop symptoms at work (as stated above), does the facility:

- Place them in a facemask and have them return home;
- Inform the facility's infection preventionist and include information on individuals, equipment, and locations the person came in contact with; and
- Follow the local health department recommendations for next steps?

**6. Did the facility provide appropriate education, monitoring, and screening of staff?**  Yes  No F880

### 7. Emergency Preparedness - Staffing in Emergencies

Policy development: Does the facility have a policy and procedure for ensuring staffing to meet the needs of the residents when needed during an emergency, such as a COVID-19 outbreak?

Policy implementation: In an emergency, did the facility implement its planned strategy for ensuring staffing to meet the needs of the residents? (N/A if a emergency staff was not needed)

**7. Did the facility develop and implement policies and procedures for staffing strategies during an emergency?**

Yes  No E0024